

VERSATILE BUILT IN VENT HOOD. The Inca Smart power pack is perfect for the homeowner who wants a built in range hood that fits into most cabinets and most budgets. This compact insert fits easily into upper cabinets as small as the standard 12" deep x 24" or 30" wide and features an exceptionally well-finished face plate.



AVAILABLE MODELS

Model #	Size / Color	Motor Class (CFM)	Sound Levels (sones)
INSM24GR250-B	24 Gray	250 CFM	1 - 3 sones
INSM28GR250-B	28 Gray	250 CFM	1 - 3 sones

KEY FEATURES



3 Speed Slide Control
Easy use slide controls for speed and lighting.



Halogen Lighting
2 x 28 (W) bulbs offer a warmer light for your cooking surface while reducing consumption by 30%.



Easy Snap Mounting Clips
Installation is made easy with built-in adjustable clips that tighten onto the sides of the cabinet floor.


INCA SMART GRAY

INSERT RANGE HOOD



DIMENSIONS


cut out dimensions	(24") 19 19/32" W / 10 9/32"D (28") 26 21/32" W / 10 9/32"D
convertible to ductless / recirculating	yes - charcoal filter needed, need air return back into kitchen out of cabinet
controls	3 speed slide control
lighting	2 x 28 (w) halogen
ducting top	5" round
grease filters	dishwasher safe mesh
built in mounting hardware	yes - easy snap mounting clips
AC input	120 V - 60 hz
AC power	Max 190 W at 1.6 A
green energy saver mode	yes



Front View

PERFORMANCE

	SPEED	1	2	3
CFM		85	160	250
Sones		1	2	3



Side View


ACCESSORIES

FILTER4 - Charcoal Filter Kit

High quality charcoal filter for use when recirculating the air back into the kitchen. Filters out odor and should be replaced every 6 months. Some ductwork is required to exhaust the unit out of the cabinet.


LINE30ST / LINE36ST - Stainless Steel Liner 30 & 36" Create a perfectly sealed, non-combustible 4" tall perimeter to "line" the wood below the Inca Smart. Depth adjustable from 16" - 17 7/8". For use with the 28" Inca Smart or Inca HC only.

NOTE : Liners do not fit the Inca Smart Gray 24"



Cut Out

Bottom View



30" or 36"

WARNING! Product specifications are subject to change without notification. Consult the installation instructions before you begin installing this range hood. * Check local make up air codes for guidelines.




INCA SMART GRAY INSERT RANGE HOOD




LINER SPECIFICATIONS

Liners are stainless steel kits that are optional for cabinet insert hoods. They create a metal 4" tall perimeter to "line" the wood below the range hood with metal. They create a more finished look and move the range hood up 4" creating additional capture area. In some cases, a liner may be required by local code if the cabinet starts at below 30" off the stove (check local building codes). All liners are adjustable in depth with a telescoping frame.

LINE24ST - USE WITH INSM24 ONLY FOR 24" WIDE CABINETS



LINE30ST - USE WITH INSM28 ONLY FOR 30" WIDE CABINETS



LINE36ST - USE WITH INSM28 ONLY FOR 36" WIDE

