

TIMELESS GOOD LOOKS

The Inca Lux is equipped with an Energy-Efficient LED Bar and Faber's exclusive Sound Pro technology, making it more discreet than before.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INLX21SSV2	305.0679.264	21" Stainless Steel	295/395/600 CFM
INLX28SSV2	305.0679.263	28" Stainless Steel	295/395/600 CFM
INLX35SSV2	305.0679.262	35" Stainless Steel	295/395/600 CFM



THE INCA LUX NESTLES INTO ANY KITCHEN DESIGN WITH **TIMELESS GOOD LOOKS** AND FLUSH MOUNTED FEATURE. THE INCA LUX IS EASY TO INSTALL WITH THE EASY SNAP INSTALLATION PANEL ATTACHED.





MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INLX21SSV2	305.0679.264	21" Stainless Steel	295/395/600 CFM
INLX28SSV2	305.0679.263	28" Stainless Steel	295/395/600 CFM
INLX35SSV2	305.0679.262	35" Stainless Steel	295/395/600 CFM


FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		LINE30ST 30" SS Liner (16 - 17 7/8" D) - Use with INLX28
Cabinet Cut Out 21"/ 28"	19 1/2" / 26 9/16" W x 10 7/16" D	No. of Fan Speeds	4	LINE36ST 36" SS Liner (16 - 17 7/8" D) - Use with INLX28
Cabinet Cut Out 35"	32 7/8" W x 10 7/16" D	Motor Class	295/395/600 CFM	LINE36PT 36" SS Liner (16 - 17 7/8" D) - Use with INLX35
Height Inside Cabinet	12 3/4"	Sound Pro	Yes	LINSPT301228 30" Self Supporting Liner (17 1/2" - 20 1/2" D) Use with INLX28
Ducting		Variable Air Management	Ability to set to 295, 395, 600 CFM	LINSPT361228 36" Self Supporting Liner (17 1/2" - 20 1/2" D) Use with INLX28
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Perimeter Aspiration	Yes	FILTER1 Charcoal Filter Kit
Duct Size	Top 6" Round	Energy-Efficient Motor	Yes	FILTER1LL2 Long Lasting Charcoal Filter
Lighting		Display		REMORIG Wireless Remote Control
Type	Energy-Efficient LED Bar	Controls	Electronic with LED	WIREBOX3 Fixed Wiring Box
# of Bulbs	One - 4 Watt - 1 Level	Intensive Speed	10 Minutes	MUDAMPER6 6" Make-up Air Kit
Grease Filters		Delay Shut-off	15 Minutes	MUDAMPER8 8" Make-up Air Kit
Filter Type	Mesh	Other		
Dishwasher Safe	Yes	ADA Compliant	With Remote Control	
Easy Snap Clip Installation	Clips Included	Remote Control	Purchase Separately	
		Power Cord	Included	

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
INLX21SSV2	305.0679.264	21" Stainless Steel	295/395/600 CFM
INLX28SSV2	305.0679.263	28" Stainless Steel	295/395/600 CFM
INLX35SSV2	305.0679.262	35" Stainless Steel	295/395/600 CFM



DIMENSIONAL DRAWINGS

FRONT VIEW



TOP VIEW

