

INNOVATIVE AND SLEEK

The Scirocco Lux downdraft hood is positioned next to the cooktop to ensure efficient extraction. The integrated LED light bar illuminates the cooking area, enhancing visibility and convenience. The Scirocco Lux features a reversible motor box, allowing it to fit seamlessly behind a range top, cooktop, or cooktop/oven combo. This is ideal for island installations where an overhead canopy would be obstructive or wall installations where cabinet space is at a premium.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
SCLX3015BKNB-B	340.0481.313	30" Black Glass w/Stainless Steel	No Blower
SCLX3615BKNB-B	110.0476.866	36" Black Glass w/Stainless Steel	No Blower

BLOWERS FUN

 IBDD600-B
 113.0477.129
 Internal Blower 600 CFM PRO

 RB900
 113.0176.625
 Remote Blower 900 CFM

 RB1200
 113.0176.626
 Remote Blower 1200 CFM

THE SCIROCCO LUX
DOWN DRAFT HOOD
BOASTS AN **ELEGANT** AND DISCREET DESIGN AS WELL
AS **EXCELLENT** EXTRACTION
TECHNOLOGY.























SCIROCCO LUX

MODEL FUN SIZE / FINISH MOTOR CLASS

SCLX3015BKNB-B340.0481.31330" Black Glass w/Stainless SteelNo BlowerSCLX3615BKNB-B110.0476.86636" Black Glass w/Stainless SteelNo Blower



FEATURES		PERFORMANCE		ACCESSORIES	
Ducting		Motor		MUDAMPER6	
Туре	Ducted/Ductless with DUCTSCIR	No. of Fan Speeds	4	6" Make-up Air Kit	
Duct Size	Vari-Duct -	Motor Class	PRO - 3 Options	MUDAMPER8 8" Make-up Air Kit	
Duct 3120	6" Round Internal 10" Round Remote	Perimeter Aspiration	Yes	MUDAMPER10 10" Make-up Air Kit	
Multiple Ducting	Yes	Reversible Motor	Yes	DUCTSCIR Ductless Conversion Kit	
Lighting		Display		REMORIG	
Туре	Energy-Efficient LED	Controls	Digital LED behind Glass	Wireless Remote Control	
# of Bulbs	Light Bar - 2 Level	Intensive Speed	10 Minutes	WIREBOXSCLX Wire Box for Remote & In-Line Blowers	
Grease Filters		Delay Shut-off	30 Minutes		
Filter Type	Mesh	Other	55 ·accs	CFMRED CFM Reducer Kit 300 CFM	
Dishwasher Safe	Yes	ADA Compliant	With Remote	CFMRED2 CFM Reducer Kit 400 CFM	
Anti-Pollution Mode	24 Hour		Control	FLANGE10	
моае		Remote Control	Purchase Separately	Required for external	
Filter Alarm	Yes		Separatery	blowers (excludes RB900/ RB1200)	
		Power Cord Included	Yes	FLANGE3 10" Round to 3 1/4" x 10" Flange	
				MUDAMPER10 for use with 900/ 1200 CFM motors. WIREBOXSCLX Required for SCLX with external blowers	



SCIROCCO LUX

MODEL FUN SIZE / FINISH MOTOR CLASS

SCLX3015BKNB-B340.0481.31330" Black Glass w/Stainless SteelNo BlowerSCLX3615BKNB-B110.0476.86636" Black Glass w/Stainless SteelNo Blower



DIMENSIONAL DRAWINGS



