

MODERN TAKE ON A CHIMNEY HOOD

Tender is the perfect alternative to a standard canopy with its seamless and stunning design. Not only is it easier to keep clean, but the distinctively different Tender is easy to operate with the electronic push-button display panel.

AVAILABLE MODELS

MODEL	FUN	SIZE / FINISH	MOTOR CLASS
TEND30SSV	320.0554.858	30" Stainless Steel	295/395/600 CFM
TEND36SSV	320.0554.859	36" Stainless Steel	295/395/600 CFM



DESIGNED TO DEAL WITH EVEN THE STRONGEST COOKING AROMAS, _ THE **INTENSIVE SPEED** FUNCTION ACTIVATES MAXIMUM EXTRACTION POWER FOR 10 MINUTES.















MODEL **TEND30SSV**

TEND36SSV

FUN

SIZE / FINISH

320.0554.859 36" Stainless Steel

320.0554.858 30" Stainless Steel

MOTOR CLASS

295/395/600 CFM 295/395/600 CFM



ACCESSORIES

FEATURES PERFORMANCE

Dimensions				
Ceiling Height	Min 24" OFF - 8' 2 3/16" Max 30" OFF - 9' 10 3/4"			
Canopy Depth Height	19 ²¹ / ₃₂ " D x 9 ⁷ / ₁₆ " H			
Ducting				
Туре	Ducted/Ductless with DUCTCLPL			
Duct Size	Top 6" Round			
Lighting				
Туре	Energy-Efficient LED			
# of Bulbs	Two - 1 Watt - 1 level			
Grease Filters				
Filter Type	Mesh			
Dishwasher Safe	Yes			

Motor	
No. of Fan Speeds	4
Motor Class	295/395/600 CFM
Variable Air Management	Ability to set to 295, 395, 600 CFM
Energy-Efficient Motor	Yes
Display	
Controls	Electronic with LED
Intensive Speed	10 Minutes
Delay Shut-off	15 Minutes
Other	
ADA Compliant	With Remote Control
Remote Control	Purchase Separately
Power Cord	Included

		HIGHTNDR
an Speeds	4	High Ceiling Kit Stainless to 11' 3"
lass	295/395/600 CFM	DUCTCLPL Ductless Conversion Kit
Air ment	Ability to set to 295, 395, 600 CFM	FILTER1 Replacement Charcoal Filter
Efficient	Yes	FILTER1LL2 Long Lasting Charcoal Filter
	Electronic with LED	MUDAMPER6 6" Make-up Air Kit
e Speed	10 Minutes	MUDAMPER8 8" Make-up Air Kit
nut-off	15 Minutes	REMORIG Wireless Remote Control
mpliant	With Remote Control	WIREBOX Fixed Wiring Box
Control	Purchase Separately	
ord	Included	



MODEL TEND30SSV

TEND36SSV


FUN

SIZE / FINISH

320.0554.858

30" Stainless Steel 320.0554.859

36" Stainless Steel





DIMENSIONAL DRAWINGS

