

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 5

INDICA: Low THC-H+ | Rainbow Sherbert

Client Sample ID: SA-230802-25361 How High Batch: 1 Received: 08/03/2023 4804 Laurel Canyon Blvd #1047 Type: Finished Product - Inhalable Completed: 08/15/2023 Matrix: Concentrate - Vape Valley Village, CA 91607 Unit Mass (g): USA Summary Test **Date Tested** Status 08/15/2023 Cannabinoids Tested 08/04/2023 Heavy Metals Tested 08/09/2023 Pesticides Tested **Residual Solvents** 08/08/2023 Tested ND 50.5 % 94.4% Not Tested Not Tested Yes Total ∆9-THC Moisture Content Internal Standard (6aR,9R,10aR)-HHC **Total Cannabinoids** Foreign Matter Normalization

Generated By: Ryan Bellone CCO Date: 08/15/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

2 of 5

INDICA: Low THC-H+ | Rainbow Sherbert

Sample ID: SA-230802-25361 Batch: 1 Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):

Received: 08/03/2023 Completed: 08/15/2023 Client

How High 4804 Laurel Canyon Blvd #1047 Valley Village, CA 91607 USA

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

	LOD	LOQ	Result	Result
Analyte	(%)	(%)	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	2.03	20.3
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	2.26	22.6
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	1.27	12.7
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ8-THCB	0.0067	0.02	ND	ND
Δ8-THC-C8	0.0067	0.02	ND	ND
Δ8-THCH	0.0067	0.02	ND	ND
Δ8-THCP	0.0067	0.02	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
∆9-THCB	0.0067	0.02	0.741	7.41
Δ9-THC-C8	0.0067	0.02	ND	ND
∆9-THCH	0.0067	0.02	0.0948	0.948
Δ9-ΤΗCΡ	0.0067	0.02	0.0696	0.696
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	50.5	505
(6aR,9S,10aR)-HHC	0.0067	0.02	31.4	314
9R-H4-CBD	0.0067	0.02	3.87	38.7
9S-H4-CBD	0.0067	0.02	2.16	21.6
9R-HHCP	0.0067	0.02	ND	ND
9S-HHCP	0.0067	0.02	ND	ND
Total Δ9-THC			ND	ND
Total			94.4	944

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 08/15/2023

Tested By: Scott Caudill Laboratory Manager Date: 08/15/2023





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

3 of 5

INDICA: Low THC-H+ | Rainbow Sherbert

kca



ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO Date: 08/15/2023

Tested By: Chris Farman

Tested By: Chris Farmar Scientist Date: 08/04/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

4 of 5

INDICA: Low THC-H+ | Rainbow Sherbert

Sample ID: SA-230802-25361 Batch: 1 Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):

Received: 08/03/2023 Completed: 08/15/2023 Client

How High 4804 Laurel Canyon Blvd #1047 Valley Village, CA 91607 USA

Pesticides by LC-MS/MS

Analyte	LOD	LOQ	Result	Analyte	LOD	LOQ	Result
Acephate	(ppb) 30	(ppb) 100	(ppb) ND	Hexythiazox	(ppb) 30	(ppb) 100	(ppb) ND
Acetamiprid	30	100		Imazalil	30	100	ND
Aldicarb	30	100	ND	Imidacloprid	30	100	ND
Azoxystrobin	30	100		Kresoxim methyl	30	100	ND
Bifenazate	30	100	ND	Malathion	30	100	ND
Bifenthrin	30	100	ND	Metalaxyl	30	100	ND
Boscalid	30	100	ND	Methiocarb	30	100	ND
Carbaryl	30	100	ND	Methomyl	30	100	
Carbofuran	30	100	ND	Mevinphos	30	100	ND
Chloranthraniliprole	30	100	ND	Myclobutanil	30	100	ND
Chlorfenapyr	30	100	ND	Naled	30	100	ND
Chlorpyrifos	30	100	ND	Oxamyl	30	100	ND
Clofentezine	30	100		Paclobutrazol	30	100	ND
Coumaphos	30	100	ND	Permethrin	30	100	ND
Daminozide	30	100	ND	Phosmet	30	100	ND
Diazinon	30	100		Piperonyl Butoxide	30	100	ND
Diazinon Dichlorvos	30	100		Prallethrin	30	100	ND
Dimethoate	30	100	ND	Propiconazole	30	100	
Dimethomorph	30	100	ND	Propoxur	30	100	ND
Ethoprophos	30	100		Pyrethrins	30	100	ND
	30 30	100	ND	Pyridaben	30	100	
Etofenprox Etoxazole	30 30	100	ND	Spinetoram	30	100	ND ND
Fenhexamid	30	100	ND	Spinetoram	30	100	
	30	100	ND	Spiromesifen	30	100	ND
Fenoxycarb	30	100	ND		30	100	ND
Fenpyroximate	30	100	ND	Spirotetramat	30	100	ND
Fipronil Flonicamid		100		Spiroxamine Tebuconazole	30	100	ND
	30 70		ND				
Fludioxonil	30	100	ND	Thiacloprid	30	100	ND
				Thiamethoxam	30	100	ND
				Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO Date: 08/15/2023

Humes



Tested By: Jasper van Heemst Principal Scientist Date: 08/09/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

5 of 5

INDICA: Low THC-H+ | Rainbow Sherbert

Sample ID: SA-230802-25361 Batch: 1 Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):

Received: 08/03/2023 Completed: 08/15/2023 Client

How High 4804 Laurel Canyon Blvd #1047 Valley Village, CA 91607 USA

Residual Solvents by HS-GC-MS

	J						
Analyte	LOD	LOQ	Result	Analyte	LOD	LOQ	Result
	(ppm)	(ppm)	(ppm)		(ppm)	(ppm)	(ppm)
Acetone	167	500	ND	Ethylene Glycol	21	62	ND
Acetonitrile	14	41	ND	Ethylene Oxide	0.5	1	ND
Benzene	0.5	1	ND	Heptane	167	500	ND
Butane	167	500	ND	n-Hexane	10	29	ND
1-Butanol	167	500	ND	Isobutane	167	500	ND
2-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanone	167	500	ND	Isopropyl Alcohol	167	500	ND
Chloroform	2	6	ND	Isopropylbenzene	167	500	ND
Cyclohexane	129	388	ND	Methanol	100	300	ND
1,2-Dichloroethane	0.5	1	ND	2-Methylbutane	10	29	ND
1,2-Dimethoxyethane	4	10	ND	Methylene Chloride	20	60	ND
Dimethyl Sulfoxide	167	500	ND	2-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	3-Methylpentane	10	29	ND
2,2-Dimethylbutane	10	29	ND	n-Pentane	167	500	ND
2,3-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
N,N-Dimethylformamide	30	88	ND	n-Propane	167	500	ND
2,2-Dimethylpropane	167	500	ND	1-Propanol	167	500	ND
1,4-Dioxane	13	38	ND	Pyridine	7	20	ND
Ethanol	167	500	ND	Tetrahydrofuran	24	72	ND
2-Ethoxyethanol	6	16	ND	Toluene	30	89	ND
Ethyl Acetate	167	500	ND	Trichloroethylene	3	8	ND
Ethyl Ether	167	500	ND	Tetramethylene Sulfone	6	16	ND
Ethylbenzene	3	7	ND	Xylenes (o-, m-, and p-)	73	217	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone CCO Date: 08/15/2023

Tested By: Scott Caudill Laboratory Manager Date: 08/08/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.